

## CPT Code 92548: Posturography

ICD-10 Code*	Description*
G11.0	Congenital nonprogressive ataxia
G11.1	Early-onset cerebellar ataxia
G11.2	Late-onset cerebellar ataxia
G11.3	Cerebellar ataxia with defective DNA repair
G11.4	Hereditary spastic paraplegia
G11.8	Other hereditary ataxias
G11.9	Hereditary ataxia, unspecified
G32.81	Cerebellar ataxia in diseases classified elsewhere
H81.01	Meniere's disease, right ear
H81.02	Meniere's disease, left ear
H81.03	Meniere's disease, bilateral
H81.09	Meniere's disease, unspecified ear
H81.10	Benign paroxysmal vertigo, unspecified ear
H81.11	Benign paroxysmal vertigo, right ear
H81.12	Benign paroxysmal vertigo, left ear
H81.13	Benign paroxysmal vertigo, bilateral
H81.20	Vestibular neuronitis, unspecified ear
H81.21	Vestibular neuronitis, right ear
H81.22	Vestibular neuronitis, left ear
H81.23	Vestibular neuronitis, bilateral
H81.311	Aural vertigo, right ear
H81.312	Aural vertigo, left ear

H81.313	Aural vertigo, bilateral
H81.319	Aural vertigo, unspecified ear
H81.391	Other peripheral vertigo, right ear
H81.392	Other peripheral vertigo, left ear
H81.393	Other peripheral vertigo, bilateral
H81.399	Other peripheral vertigo, unspecified ear
H81.41	Vertigo of central origin, right ear
H81.42	Vertigo of central origin, left ear
H81.43	Vertigo of central origin, bilateral
H81.49	Vertigo of central origin, unspecified ear
H81.8X1	Other disorders of vestibular function, right ear
H81.8X2	Other disorders of vestibular function, left ear
H81.8X3	Other disorders of vestibular function, bilateral
H81.8X9	Other disorders of vestibular function, unspecified ear
<b>H81.90</b>	<b>Unspecified disorder of vestibular function, unspecified ear</b>
H81.91	Unspecified disorder of vestibular function, right ear
H81.92	Unspecified disorder of vestibular function, left ear
H81.93	Unspecified disorder of vestibular function, bilateral
H82.1	Vertiginous syndromes in diseases classified elsewhere, right ear
H82.2	Vertiginous syndromes in diseases classified elsewhere, left ear
H82.3	Vertiginous syndromes in diseases classified elsewhere, bilateral
H82.9	Vertiginous syndromes in diseases classified elsewhere, unspecified ear
H83.01	Labyrinthitis, right ear
H83.02	Labyrinthitis, left ear
H83.03	Labyrinthitis, bilateral

H83.09	Labyrinthitis, unspecified ear
H83.11	Labyrinthine fistula, right ear
H83.12	Labyrinthine fistula, left ear
H83.13	Labyrinthine fistula, bilateral
H83.19	Labyrinthine fistula, unspecified ear
H83.2X1	Labyrinthine dysfunction, right ear
H83.2X2	Labyrinthine dysfunction, left ear
H83.2X3	Labyrinthine dysfunction, bilateral
H83.2X9	Labyrinthine dysfunction, unspecified ear
H83.8X1	Other specified diseases of right inner ear
H83.8X2	Other specified diseases of left inner ear
H83.8X3	Other specified diseases of inner ear, bilateral
H83.8X9	Other specified diseases of inner ear, unspecified ear
H83.90	Unspecified disease of inner ear, unspecified ear
H83.91	Unspecified disease of right inner ear
H83.92	Unspecified disease of left inner ear
H83.93	Unspecified disease of inner ear, bilateral
I69.093	Ataxia following nontraumatic subarachnoid hemorrhage
I69.193	Ataxia following nontraumatic intracerebral hemorrhage
I69.293	Ataxia following other nontraumatic intracranial hemorrhage
I69.393	Ataxia following cerebral infarction
I69.893	Ataxia following other cerebrovascular disease
I69.993	Ataxia following unspecified cerebrovascular disease
I69.998	Other sequelae following unspecified cerebrovascular disease
R26.0	Ataxic gait

R26.1	Paralytic gait
R26.2	Difficulty in walking, not elsewhere classified
R26.81	Unsteadiness on feet
R26.89	Other abnormalities of gait and mobility
R26.9	Unspecified abnormalities of gait and mobility
R27.0	Ataxia, unspecified
R27.8	Other lack of coordination
R27.9	Unspecified lack of coordination
R42	Dizziness and giddiness
S04.60XA	Injury of acoustic nerve, unspecified side, initial encounter
S04.60XD	Injury of acoustic nerve, unspecified side, subsequent encounter
S04.60XS	Injury of acoustic nerve, unspecified side, sequela
S04.61XA	Injury of acoustic nerve, right side, initial encounter
S04.61XD	Injury of acoustic nerve, right side, subsequent encounter
S04.61XS	Injury of acoustic nerve, right side, sequela
S04.62XA	Injury of acoustic nerve, left side, initial encounter
S04.62XD	Injury of acoustic nerve, left side, subsequent encounter
S04.62XS	Injury of acoustic nerve, left side, sequela
S06.0X0A	Concussion without loss of consciousness, initial encounter
S06.0X0D	Concussion without loss of consciousness, subsequent encounter
S06.0X0S	Concussion without loss of consciousness, sequela
S06.0X1A	Concussion with loss of consciousness of 30 minutes or less, initial encounter
S06.0X1D	Concussion with loss of consciousness of 30 minutes or less, subsequent encounter
S06.0X1S	Concussion with loss of consciousness of 30 minutes or less, sequela
S06.0X2A	Concussion with loss of consciousness of 31 minutes to 59 minutes, initial encounter

S06.0X2D	Concussion with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.0X2S	Concussion with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.0X3A	Concussion with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter
S06.0X3D	Concussion with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter
S06.0X3S	Concussion with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela
S06.0X4A	Concussion with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.0X4D	Concussion with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.0X4S	Concussion with loss of consciousness of 6 hours to 24 hours, sequela
S06.0X5A	Concussion with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.0X5D	Concussion with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.0X5S	Concussion with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.0X6A	Concussion with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.0X6D	Concussion with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.0X6S	Concussion with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.0X7A	Concussion with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.0X7D	Concussion with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter

S06.0X7S	Concussion with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, sequela
S06.0X8A	Concussion with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter
S06.0X8D	Concussion with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter
S06.0X8S	Concussion with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, sequela
S06.0X9A	Concussion with loss of consciousness of unspecified duration, initial encounter
S06.0X9D	Concussion with loss of consciousness of unspecified duration, subsequent encounter
S06.0X9S	Concussion with loss of consciousness of unspecified duration, sequela

\* This list is from Florida. Even though most carriers follow this carrier's recommendations, you should verify what codes you should use in your state.

\* These ICD-10 codes do not relate to specific medical conditions; the physician may elect to perform autonomic testing on a patient presenting with one or more of these symptom(s) when the physician suspects an autonomic etiology.